	Centre Number	Candidate Number
Candidate Name		

EXAMINATIONS COUNCIL OF ZAMBIA

Examination for General Certificate of Education Ordinary Level

Chemistry

5070/3

Paper 3

Tuesday

18 JULY 2017

Additional Information:

Mathematical tables/Calculators (non-programmable)

Time 1 hour 30 minutes

Instructions to Candidates

Write your name, centre number and candidate number in the spaces at the top of this page.

There are two (2) questions in this paper. Answer both questions.

You should show the essential steps in any calculation and record all experimental results and observations in the spaces provided on the question paper.

If you are using semi-micro methods in Question 2, you should modify the instructions to suit the size of apparatus and the techniques you are using.

Information for Candidates

The number of marks is shown in brackets [] at the end of each question or part question.

Each question carries 50% of the total marks.

Mathematical tables and Non-programmable calculators can be used.

Qualitative Analysis notes for this paper are printed on page 6.

Periodic Table is printed on page 7.

Cell phones are not allowed in the examination room.

FOR EXAM	IINER'S USE
1	
2	47.000.00 Air
TOTAL	

Page 2 of 6

1	Volumetric Analysis	(titration)
14 44		

 ${f P}$ is a solution of dibasic acid, H_2X , suspected to be either carbonic acid, H_2CO_3 or sulphuric acid, H_2SO_4 .

Q is a 0.1000 mol/dm³ NaOH.

You are to determine the concentration of H_2X in ${\bf P}$ by titration and use it to identify H_2X .

P contains 3.44g/dm³ H₂X

(a) Put **P** into the burette. Pipette a 25.0cm³ (or 20.0cm³) portion of **Q** into a conical flask. Add 3 drops of the indicator provided and then titrate with **P**. Record your results in the table, repeating the titration procedure as many times as you consider necessary to achieve consistent results.

Tick (\checkmark) the consistent (concording) results as your best results. Indicate the average of the ticked values in the summary.

The results i.e. burette readings/cm³.

Titration Number	1	2	
Final reading			
Initial reading	6		75 261,000 00 00
Volume of P used			
Best titration results (✓)			

Summary:	The volume of Q used is	cm ³
The	e average volume of P required was	cm ³
		[12]

(b) \mathbf{Q} is 0.1000 mol/dm³ sodium hydroxide. Using your results from (a) calculate the concentration, in mol/dm³, of H₂X in \mathbf{P} .

Concentration of H_2X in $P = $	mol/dm ³	[3]
Concentration of Fight III =	Hol/ uni	L

(c)	P contains 3.44g of H_2X per dm ³ . the molar mass of H_2X .	Use your answer to (b) to calculate	. E
(d)	Molar mass of $H_2X = $	g/mol es (RFM) of both H ₂ CO ₃ and H ₂ SO ₄ (ii) H ₂ SO ₄	[2]
(e)	RFM= Hence identify H ₂ X.	RFM=	[2]
	H ₂ X is	- Total 20 m	[1] narks

2 Qualitative Analysis (Salt analysis)

You are provided with solutions **R** and **S**. **R** and **S** contain one salt each with one cation and one anion both specified in the 5070/3 syllabus.

Carry out the following tests on ${\bf R}$ and ${\bf S}$ and record your results in the table below accordingly.

You should identify and name any gases evolved.

Te	est o.	Test on R	Observation	
1		To a portion of R , add an equal volume of aqueous silver nitrate solution (KEEP FOR TEST 2)		
2	(a) (b)	Divide the mixture in (a) above into two. To one portion, add dilute nitric acid and to the other portion add an equal	19	•
3	(a) (b)	volume of aqueous ammonia. To a portion of R , add aqueous sodium hydroxide little by little until in excess. Allow the mixture in (a) to stand for sometime		
4	(a)	To a portion of S , add aqueous sodium hydroxide until a change is seen.		
	(b)	Add excess aqueous sodium hydroxide to the mixture in (a). (Keep the resultant for test C)		
	(c)	Put half of the resultant from test (b) into a test tube, add aluminium foil and then warm carefully.		
5	(a)	To a portion of S , add aqueous ammonia until a change is seen.		
	(b)	To a mixture in (a) above add excess aqueous ammonia.		800
Con	clusio	on		[17]
i)	The formula of the cation in solution R is			[1]
ii)	Wh	at process has the cation in ${f R}$ underg	one in test 3 (b)?	
:::>	 TL -	formula of the suff to the second		[1]
iii)	The	formula of the salt in solution S is	<u></u>	

Total 40 marks

NOTES FOR USE IN QUALITATIVE ANALYSIS

Test for anions

anion	test	test result
carbonate (CO ₃ ²⁻)	add dilute acid	effervescence, carbon dioxide produced
chloride (Cl ⁻) [in solution]	acidify with dilute nitric acid, then add aqueous silver nitrate	white ppt.
iodide (I ⁻) [in solution]	acidify with dilute nitric acid, then add aqueous lead (II) nitrate	yellow ppt.
nitrate (NO_3^-) [in solution]	add aqueous sodium hydroxide then aluminium foil; warm carefully	ammonia produced
sulphate (SO ₄ ² -) [in solution]	acidify with dilute nitric acid, then add aqueous barium nitrate	white ppt.

Test for aqueous cations [in solutions]

cation	effect of aqueous sodium hydroxide	effect of aqueous ammonia
aluminium (Al ³⁺)	white ppt., soluble in excess giving a colourless solution	white ppt., insoluble in excess
ammonium (NH_4^+)	ammonia produced on warming	-
calcium (Ca ²⁺)	white ppt., insoluble in excess	no ppt. or very slight white ppt
copper(II) (Cu ²⁺)	light blue ppt., insoluble in excess	light blue ppt., soluble in excess giving a dark blue solution
iron(II) (Fe ²⁺)	green ppt., insoluble in excess	green ppt., insoluble in excess
iron(III) (Fe ³⁺)	red-brown ppt., insoluble in excess	red-brown ppt., insoluble in excess
zinc (Zn ²⁺)	white ppt., soluble in excess giving a colourless solution	white ppt., soluble in excess giving a colourless solution

Test for gases

In the case of the
test and test result
turns damp red litmus paper blue
turns limewater milky
bleaches damp litmus paper
"pops" with a lighted splint
relights a glowing splint
turns aqueous potassium dichromate(VI) green

DATA SHEET
The Periodic Table of the Elements

1V V VI III			
V V III	708-202	i>	
N III IV		>	
		2	
	200020	=	

Group	:													:	;		,
	=				8	5		25					≥	>	ji 		0
							-]										4 .
							I.	_									Ŧ
							nydiogeii 1										Hellum 2
1	6					_						1	12	14	-	19	20
	æ											m	ပ	z		ш,	Ne
_ 4	Beryllium											Boron 5		Nitrogen 7		Fluorine 9	Neon 10
i	24											27		31	-	35.5	40
	₽g						8					A		Д.		ర	¥
≃ ;;	Magnesium 12											Aluminfum 13	Silicon 14	Phosphorus 15			Argon 18
_	40		48	٠.	25	55	29			_		2		7.5	-	П	84
				>	ວັ	Mu				_		Ga	g G	As	_		ž
๙	Calcium 20	Scandlum 21	Titanlum 22	Vanadium 23	Chromium 24	Manganese 25	_	100			Zinc 30	Galllum 31	త్ర జ్ల	E-100 100 100 100 100 100 100 100 100 100		Bramine 35	Krypton 36
	88		91	83	96		104	-	106	108	112			122		127	131
	Š		Zr		Mo		Ru		Pd	Ag	ပ္ပ		Sn	Sb			Xe
Rubidium 8	Strontium	Ylirium 39	Zirconlum 40	Niobium 41	Molybdenum 42	Tchnettum	Ruthenium 44	Rhodium 45	Palladium 46	Silver 47	Cadmlum 48	Indium 49	52	Antimony 51	Tellurium 52	lodine 53	Xenon 54
٠			417	70,	3	_	-	_	10,				Ľ				;
	<u> </u>	<u> </u>	2/1	F 1	184				22.0	<u> </u>	502	\$ F	2 2	60% 6			
	ָ מ	Lantharium	Hafulim	Tentalim	La La				Platinim	1 20	Die W	Thalliam		Emily C	Ъ	Ąŧ	R
爫	56	57 *	72	73		75	76	77	78	79	80	81	82	83	Polonium 84	Astatine 85	Radon 86
	226 Ra	227 Ac							5		200				4		
Francium 88	Radium 88										15	2000					
JE	*58-71 Lanthanoid series	eries		140		144		-			159	_	165	167	169	_	
S	+90-103 Actinoid series	ies		Certum	Pr Praseodymlum	Neodymium	Pm	Samanlum	Europlum	Gd Gadoliniu	Tb	Dy Dysproslum	Polmirm	Erbium	Tm Thuilum	Yb	Lutelfem
				28	59	8	Fromemium 61	_	-	-5000	65		29	89	69		

	
173 Yb Yitterbium 70	Nobelium 102
169 T.m Thulium 69	Md Mendelevium 101
167 Er Erblum 68	Fm Femium 100
165 Hornium 67	ES Einsteinium 99
	Cf Californium 98
159 Tb Terbium 65	Berkelium 97
157 Gd Gadoliniu m 64	Cm Curium 96
152 Eu Europlum 63	Am Americium 95
	Pu Plutonium 94
Pm Promethium 61	Np Neptunium 93
144 Neodymium 60	238 U Uranium 92
141 Praseodymlum 59	Pa Protactinium 91
140 Cerium 58	232 Th Thorium 90
	141 144 150 152 157 159 162 167 169 165 167 169 162 167 169 167 167 169 167

a = relative atomic mass X = atomic symbol b = proton (atomic) number

ت **×** ت

Key

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

Lr Lawrendu m 103

 $N_A = 6.0 \times 10^{23}$ /mol; 1F = 96500C.

Chomistry/5070/1/2017

gidemy.com